



- **Max vacuum: 28.0" Hg**
- **Free-air capacity: 0.85 cfm (24.0 L/min)**
- **Shaded-pole fan-cooled motor**
- **Thermal overload switch**
- **Heads connected in series for greater vacuum**
- **Suitable for Vacuum supply to TE CalBench**

SPECIFICATIONS

Max vacuum	28.0" Hg
Free-air capacity	0.85 cfm (24.0 L/min)
Port size	1/4" NPT(F), 3/8" hose barb on gauges
Motor type	permanent split capacitor
Duty cycle	continuous
Max temperature	100°F (38°C)
Wetted parts	aluminum stainless steel, NORDEL, and NOMEX
hp	1/4
Noise level	68 dB(A)
Dimensions	L305 x W140 x H260mm
Power	220 VAC, 50 Hz
Amps	2
Stages	Dual/series
Options	7149-HCO: Housing & connectivity option for the 7149 and CalBench. Sound proofed casing that ergonomically mounts to CalBench rear lower panel & on/off switch located on the 7082 mains controller module.

ORDERING INFORMATION

7149	Electrical Vacuum Pump
7149-HCO	Housing & Connectivity Option for 7149 and CalBench

Due to continuous development Time Electronics reserves the right to change specifications without prior notice.